

DIHWorld Audio - Better Buses Template

Customer-safe Logic bus starters | Current ANKH families | Website template 4 Enhanced: 2026-07-25

User authority: DIHWorld_Audio_Complete_Manual_CURRENT.pdf

Current product behavior: ANUBIS has a named stereo Sidechain bus with separate Key/Duck functions; DEBO uses the balanced canonical bank; TRIPLER uses the repaired clean left/right harmony path; SESHAT named views hide unrelated panels; AU and Drum Morpher are current registered instruments.

Use this when you want a cleaner Logic mixer layout with descriptive bus names, short chains, and clear family placement. It is the practical companion to the 7 Main Bus Template: fewer mystery buses, fewer stacked inserts, and easier handoff to another mixer.

Core Operating Law

- Start buses and sends around -18 dB as a safe audition point, not a fixed operating target.
- In normal use, many DIH processors will feel optimal around -14 to -10 dB, depending on source, family, and FieldState.
- Some plugins operate cleanly at unity when the use case supports it; approve unity only after bypass/output matching and no clipping, ringing, or level jump.
- Output-match to bypass before approving tone, width, spatial placement, or loudness.
- Keep source tracks lean. Use buses for color, space, width, dynamics, and print decisions.
- Use up to three active processors on a source track or bus during a musical pass. Extra inserts are audition alternates, not the committed chain.
- SESHAT is observation only and may sit last on the print/master endpoint.
- ANKH is the final containment authority.

Better Bus Architecture

SOURCE TRACKS
-> DRUM BUS
-> BASS BUS
-> LEAD VOCAL BUS
-> BG VOCAL BUS
-> INSTRUMENT BUS
-> optional sends: FX BUS, COLOR BUS, WIDTH BUS, DYNAMICS BUS

FAMILY BUSES
-> PRINT / MASTER BUS
-> Stereo Out

Customer Bus Starters

LEAD VOCAL BUS	GOLD -> AEGIS_NOVA -> SILVER	Lead vocal source tone and protection	Use WPR instead of SILVER when ribbon warmth is the goal.
BG VOCAL BUS	GOLD -> TRIPLER -> EchoLocate	Stacks, doubles, localization	Keep lead diction clear; do not force TRIPLER on every lead.
DRUM BUS	DIH_DRUM_MORPHER -> BALLPARK -> DRUMKRUSHGLUE	Drum identity, punch, and glue	Use ANUBIS before the bus when individual transient guard is needed.

BASS BUS	MARIANA -> NTRPL -> MONOLITH	Low-end focus and foundation	DEPTH_BOOST_PRO can replace MONOLITH for definition.
INSTRUMENT BUS	KHEPRI -> PTAHTUBE -> APIS	Music-bed tone, body, and harmonic color	THOTH or TEHUTI replaces a color slot when harmonic pitch is the actual problem.
FX BUS	NTRSTLLR -> Cathedral -> SacredVerb	Shared spatial identity and room field	Keep reverbs here instead of scattering long tails across source tracks.
COLOR BUS	KHEPRI -> PTAHTUBE -> APIS	Parallel tone and bus color	SOVEREIGN replaces one slot for stronger color authority.
WIDTH BUS	DEPTH_IMPACT_HYBRID_X -> PARALLAX -> NSR	Width, placement, and front/back movement	SERQET can replace PARALLAX for a creative width move. Mono-check before print.
DYNAMICS BUS	ANUBIS -> OTIS -> DEBO	Parallel guard and movement	LOOKOUT may observe. DRUMKRUSHGLUE belongs on drum glue when needed.

Print / Master Bus Choices

Clean print	SPHYNX -> MAAT -> ANKH -> SESHAT	Prepare, balance, contain, then observe.
Authority print	PLATINUM -> IMHOTEP -> ANKH -> SESHAT	Master authority plus macro field structure.
Loud / modern print	SPHYNX -> HORIZON_X -> ANKH -> SESHAT	Lift and finish without replacing ANKH.
Dimensional print	DEPTH_IMPACT_HYBRID_X -> MAAT -> ANKH -> SESHAT	Front/back placement before balance and containment.
Color master	KHEPRI or SOVEREIGN -> MAAT -> ANKH -> SESHAT	One color stage, one balance stage, then containment.

Handoff Labels

ACTIVE	Processor is part of the current musical pass.
BYPASSED ALT	Processor is present as a documented alternate, not active.
QC ONLY	Observation, metering, or validation only.
PRINT CHAIN	Final chain chosen for the bounce.

Approval Checklist

- Every bus has a clear musical reason.
- No source track is carrying a long chain that belongs on a family bus.
- COLOR, FX, WIDTH, and DYNAMICS are sends or parallel buses, not hidden source-track clutter.
- SESHAT is observation only.
- ANKH remains final containment authority.

- The final print is bypass/output matched before approval.